

**SAFETY DATA SHEET**  
**HUSSMANN COIL CLEANER**  
**CONCENTRATE**

Page: 1  
Printed: 02/25/2019  
Revision: 02/25/2019

**1. Product and Company Identification**

**Product Code:** 06362  
**Product Name:** HUSSMANN COIL CLEANER CONCENTRATE  
**Company Name:** Hussmann **Phone Number:** 1 (314)291-2000  
12999 St. Charles Rock Rd.  
Bridgeton, MO 63044  
**Web site address:** www.hussmann.com  
**Emergency Contact:** Chemtrec 1 (800)424-9300

**Recommended Use:** All Purpose Cleaner  
**Intended Use:** For sale to, use and storage by service persons only.

**2. Hazards Identification**

**Serious Eye Damage/Eye Irritation, Category 2**  
**Specific Target Organ Toxicity (single exposure), Category 3**  
**Skin Corrosion/Irritation, Category 3**



**GHS Signal Word:** **Warning**

**GHS Hazard Phrases:** H316 - Can cause mild skin irritation.  
H319 - Can cause serious eye irritation.  
H335 - May cause respiratory irritation.

**GHS Precaution Phrases:** P261 - Avoid breathing fumes and spray mist.  
P264 - Wash hands thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.

**GHS Response Phrases:** P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a POISON CENTER or doctor if you feel unwell.  
P332+313 - If skin irritation occurs, get medical attention immediately.  
P337+313 - If eye irritation persists, get medical attention immediately.

**GHS Storage and Disposal Phrases:** P403+233 - Store container tightly closed in well-ventilated place - if product is as volatile as to generate hazardous atmosphere.  
P405 - Store locked up.  
P501 - Dispose of contents and container according to the local, city, state and federal regulations.

**Potential Health Effects (Acute and Chronic):** Chronic: Prolonged or repeated skin contact may cause defatting and dermatitis.

**Inhalation:** May cause respiratory tract irritation. Inhalation of vapors may cause drowsiness and dizziness.

**Skin Contact:** May cause irritation with pain and stinging, especially if the skin is abraded.

**Eye Contact:** Produces irritation, characterized by a burning sensation, redness, tearing, inflammation, and possible corneal injury.

**Ingestion:** Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

**SAFETY DATA SHEET**  
**HUSSMANN COIL CLEANER**  
**CONCENTRATE**

**3. Composition/Information on Ingredients**

CAS #	Hazardous Components (Chemical Name)	Concentration	
68439-46-3	Alcohol ethoxylate	Proprietary	
68551-12-2	Alcohols, C12-16, ethoxylated	Proprietary	
66455-15-0	Nonionic surfacant	Proprietary	

**4. First Aid Measures**

**Emergency and First Aid Procedures:**

**In Case of Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

**In Case of Skin Contact:** In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

**In Case of Eye Contact:** In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes.

**In Case of Ingestion:** Potential for aspiration if swallowed. Get medical aid immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, have victim lean forward.

**Note to Physician:** Urine acetone test may be helpful in diagnosis. Hemodialysis should be considered in severe intoxication. Treat symptomatically and supportively.

**5. Fire Fighting Measures**

**Flash Pt:** NE

**Explosive Limits:** LEL: N/A UEL: N/A

**Autoignition Pt:** NE

**Suitable Extinguishing Media:** For large fires, use dry chemical, carbon dioxide, alcohol-resistant foam, or water spray. For small fires, use carbon dioxide, dry chemical, dry sand, or alcohol-resistant foam. Cool containers with flooding quantities of water until well after fire is out.

**Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. Flammable liquid and vapor. May form explosive peroxides. Vapors are heavier than air and may travel to a source of ignition and flash back.

**Flammable Properties and Hazards:** No data available.

**Hazardous Combustion Products:** No data available.

**SAFETY DATA SHEET**  
**HUSSMANN COIL CLEANER**  
**CONCENTRATE**

**6. Accidental Release Measures**

**Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8.  
Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Use water spray to dilute spill to a non-flammable mixture. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation. A vapor suppressing foam may be used to reduce vapors.

**7. Handling and Storage**

**Precautions To Be Taken in Handling:** Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Take precautionary measures against static discharges. Keep container tightly closed. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Use only with adequate ventilation. Avoid breathing dust, mist, or vapor. Do not allow to evaporate to near dryness.

**Precautions To Be Taken in Storing:** Keep away from heat, sparks and flame. Do not store in direct sunlight. Store in a tightly closed container. Keep from contact with oxidizing materials. Store in a cool, dry, well-ventilated area away from incompatible substances.

**8. Exposure Controls/Personal Protection**

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
68439-46-3	Alcohol ethoxylate	No data.	No data.	No data.
68551-12-2	Alcohols, C12-16, ethoxylated	No data.	No data.	No data.
66455-15-0	Nonionic surfacant	No data.	No data.	No data.

**Respiratory Equipment (Specify Type):** Always use a NIOSH approved respirator when necessary.

**Eye Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate gloves to prevent skin exposure.

**Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls (Ventilation etc.):** Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

**SAFETY DATA SHEET**  
**HUSSMANN COIL CLEANER**  
**CONCENTRATE**

Page: 4

Printed: 02/25/2019  
Revision: 02/25/2019

### 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [X] Liquid [ ] Solid  
**Appearance and Odor:** No data available.  
**pH:** ~ 10.00 - 12.00  
**Melting Point:** NE  
**Boiling Point:** >= 212.00 F  
**Flash Pt:** NE  
**Evaporation Rate:** NE  
**Flammability (solid, gas):** No data available.  
**Explosive Limits:** LEL: N/A UEL: N/A  
**Vapor Pressure (vs. Air or mm Hg):** NE  
**Vapor Density (vs. Air = 1):** NE  
**Specific Gravity (Water = 1):** ~ 1.020  
**Density:** ~ 8.50 LB/GA  
**Bulk density:** NE  
**Solubility in Water:** 100%  
**Saturated Vapor Concentration:** NE  
**Octanol/Water Partition Coefficient:** No data.  
**Autoignition Pt:** NE  
**Decomposition Temperature:** NE  
**Viscosity:** NP  
**Particle Size:** NE  
**Heat Value:** NE  
**Corrosion Rate:** NE

### 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [X]  
**Conditions To Avoid - Instability:** Light, ignition sources, Excess heat.  
**Incompatibility - Materials To Avoid:** Strong oxidizing agents, Strong acids, Strong bases, Amines, Ammonia, ethylene oxide, isocyanates, acetaldehyde, chlorine, phosgene, Attacks some forms of plastics, rubbers, and coatings. aluminum at high temperatures.  
**Hazardous Decomposition or Byproducts:** Carbon monoxide, Carbon dioxide.  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [X]  
**Conditions To Avoid - Hazardous Reactions:** None.

**SAFETY DATA SHEET**  
**HUSSMANN COIL CLEANER**  
**CONCENTRATE**

**11. Toxicological Information**

**Toxicological Information:** No data available.  
**Carcinogenicity/Other Information:** Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68439-46-3	Alcohol ethoxylate	n.a.	n.a.	n.a.	n.a.
68551-12-2	Alcohols, C12-16, ethoxylated	n.a.	n.a.	n.a.	n.a.
66455-15-0	Nonionic surfactant	n.a.	n.a.	n.a.	n.a.

**12. Ecological Information**

No data available.

**13. Disposal Considerations**

**Waste Disposal Method:** Dispose of contents and container according to the local, city, state and federal regulations.

**14. Transport Information**

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Not regulated as a hazardous material.  
**DOT Hazard Class:**  
**UN/NA Number:**

**LAND TRANSPORT (Canadian TDG):**

**TDG Shipping Name:** Not Regulated.

**15. Regulatory Information**

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68439-46-3	Alcohol ethoxylate	No	No	No
68551-12-2	Alcohols, C12-16, ethoxylated	No	No	No
66455-15-0	Nonionic surfactant	No	No	No

**This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:**  
 Yes  No Acute (immediate) Health Hazard  
 Yes  No Chronic (delayed) Health Hazard  
 Yes  No Fire Hazard  
 Yes  No Sudden Release of Pressure Hazard  
 Yes  No Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
68439-46-3	Alcohol ethoxylate	CA PROP.65: No; CA TAC, Title 8: No

**SAFETY DATA SHEET**  
**HUSSMANN COIL CLEANER**  
**CONCENTRATE**

66455-15-0	Nonionic surfacant	CA PROP.65: No; CA TAC, Title 8: No
68551-12-2	Alcohols, C12-16, ethoxylated	CA PROP.65: No; CA TAC, Title 8: No

**16. Other Information**

**Revision Date:** 02/25/2019

**Hazard Rating System:**

<b>HEALTH</b>		<b>1</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL</b>		<b>0</b>
<b>PPE</b>	<b>B</b>	

**HMIS:**



**Additional Information About This Product:** No data available.

**This Product:**

**Company Policy or**

**Disclaimer:**

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.